

Fig. 1




Fig. 2

Input Data (k_x, k_y)




Fig. 3




Fig. 4

4/9




Fig. 5
104
116
114
112
110
118




Fig. 6




Fig. 7

7/9

0	1	2	3	4	5	6	7
7	0	1	2	3	4	5	6
6	7	0	1	2	3	4	5
5	6	7	0	1	2	3	4
4	5	6	7	0	1	2	3
3	4	5	6	7	0	1	2
2	3	4	5	6	7	0	1
h1	h2	h3	h4	h5	h6	h7	h0

8x7 Hyper

Fig. 8a

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
15	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
14	15	0	1	2	3	4	5	6	7	8	9	10	11	12	13
13	14	15	0	1	2	3	4	5	6	7	8	9	10	11	12
12	13	14	15	0	1	2	3	6	5	6	7	8	9	10	11
h11	h12	h13	h14	h15	h0	h1	h2	h3	h4	h5	h6	h7	h8	h9	h10

16x5 Hyper

Fig. 8b

0	1	2	3
3	0	1	2
2	3	0	1
1	2	3	0
0	1	2	3
3	0	1	2
2	3	0	1
1	2	3	0
0	1	2	3
h1	h0	h1	h2

4X9 Hyper




Fig. 8c


8/9

0 1 2 3	15 12 13 14	10 11 8 9	h5 h6 h7 h4
4 5 6 7	3 0 1 2	14 15 12 13	h9 h10 h11 h8
8 9 10 11	7 4 5 6	2 3 0 1	h13 h14 h15 h12
12 13 14 15	11 8 9 10	6 7 4 5	h1 h2 h3 h0

4x4x3 Hyper Code

Fig. 9

9/9



8x7 Hyper

-	-	-	-	4	5	6	7
7	0	1	2	3	4	5	6
6	7	0	1	2	3	4	5
5	6	7	0	1	2	3	4
4	5	6	7	0	1	2	3
3	4	5	6	7	0	1	2
2	3	4	5	6	7	0	1
h1	h2	h3	h4	h5	h6	h7	h0

Fig. 10a

“ $\theta_1, \theta_2, \theta_3, \theta_4, \theta_5, \theta_6, \theta_7, \theta_8, \theta_9, \theta_{10}, \theta_{11}, \theta_{12}, \theta_{13}, \theta_{14}, \theta_{15}$ ”

4x4x3 Hyper Code

-	-	-	-
-	-	-	-
-	9	10	11
12	13	14	15

15	12	13	14
3	0	1	2
7	4	5	6
11	8	9	10

10	11	8	9
14	15	12	13
2	3	0	1
6	7	4	5

h5	h6	h7	h4
h9	h10	h11	h8
h13	h14	h15	h12
h1	h2	h3	h0

Fig. 10b